2217[illegible]0059

武汉净澜检测有限公司

监 测 报 告

武[illegible]

项目名称：[illegible]

监测类别：[illegible]

委托单位：华[illegible]

报告日期：[illegible]

检测专用章

声 明

1. 报告无本公司检测专用章、骑缝章[illegible]

2. 报告涂改、缺页、增删无[illegible]

3. 对本检测报告若有异议，请于收到[illegible]提出，逾期不予受理。

4. 若由委托单位自送样品的检测，本[illegible]不对样品来源负责。

5. 未经本公司书面批准，不得部分复[illegible]复印件应由我公司加盖检测报告专用章确[illegible]

6. 除客户特别申明并支付样品管理费[illegible]品均不再留样。

7. 本报告不得用于商业广告，违者必[illegible]

本公司通讯资料：

公司名称：武汉[illegible]澜检[illegible]
公司地址：武汉[illegible]湖新[illegible]大道[illegible]2号[illegible]产业[illegible]B座[illegible]
邮政编码：43[illegible]
电　　话：027-[illegible]367[illegible]

武 [illegible]

一 [illegible]

日 [illegible]

[illegible] 监）字 [illegible]

二 [illegible]

1.企 [illegible]

[illegible] 信 [illegible]

[illegible] 照华 [illegible]

[illegible] 新环 [illegible]

[illegible] 本情 [illegible]

[illegible] 本情 [illegible]

[illegible] 企业 [illegible]

[illegible] 地 [illegible]

[illegible] 联系 [illegible]

[illegible] 处 [illegible]

2.自 [illegible] 理设 [illegible]

[illegible] 能力 [illegible]

[illegible] 间处 [illegible]

[illegible] 能力 [illegible]

[illegible] 排 [illegible]

[illegible] 测设 [illegible]

[illegible] 污口 [illegible]

[illegible] 规范 [illegible]

[illegible] 置是 [illegible]

[illegible] 测项 [illegible]

[illegible] 备型 [illegible]

[illegible] 生产 [illegible]

三、[illegible] 集成 [illegible]

1.H [illegible] 法原 [illegible]

2.H [illegible] 定量 [illegible]

3.H [illegible] 营单 [illegible]

[illegible] 监 [illegible]

[illegible] 北 [illegible] -20 [illegible]

[illegible] 91 [illegible] -20 [illegible]

[illegible] 35 [illegible] -20 [illegible]

[illegible] 35 [illegible]

武

争（监）字 20223492

四、

评价标准

表 1 水污染源在线监测仪器验收项目及

仪器类型	技术指标要求		指标限值	
COD水质（CODcr、TOC）水质自动分析仪		采用浓度约为现场工作量程上限值 0.5 倍的标准样品	±10%	比对满足要求
		（用浓度为 20~25mg/L 的标准样品替代实际水样进行测试） 实际水样 CODcr < 30mg/L	±5mg/L	
		30mg/L≤实际水样 CODcr < 60mg/L	±30%	
		60mg/L≤实际水样 CODcr < 100mg/L	±20%	
		实际水样 CODcr≥100mg/L	±15%	
NH₃-N 水质自动分析仪		采用浓度约为现场工作量程上限值 0.5 倍的标准样品	±10%	同
		（用浓度为 1.5mg/L 的有证标准样品替代实际水样进行测试） 实际水样氨氮 < 2mg/L	±0.3mg/L	
		实际水样氨氮≥2mg/L	±15%	
pH 水质自动分析仪		实际水样比对	±0.5	

五、工况

监测期间该厂生产正常，比对监测与在线自动监测在同一生产

六、监测结果

武

1.

C-221

试

自

武净（监）字 2022 2349 2 第

2. 废水污染源自动监测设备比对

比对项目 2022 年 1

监测点名称 2022 年 1

样品编号 自动监测设备 比

C-221116FS0010

C-221116FS001 水质分析值 1-1

C-221116FS0010

213.2

222.7 2-1

221.4

216.4 标准限值

217.1 3-1 ±15%

218.6 ±15%

±15%

标样编号 1#标液 1 试时间 标样 标准限值

月 17 日 B200 ±10%

试验仪器 编号

自动仪器 重铬酸盐 9016 15010

比对结果 重铬

武净（监 字 2022349

3 废水污 源自动监 测结果表（氨氮，

比对 目		氨氮		
测 称		水总排口		
样品编号	水	样品（浓度为 1.5m		
		水质分析仪测定均值	mg/	实 室值
-221116FS 0101-2		1.5 06		.5
-221116FS 0102-2		1.52 3		.5
-221116FS 0103-2		1.51 3		.51
样编号	测试时间		质控样	
		测试结果		
1#标液	11 月 17 日	51.5 5	样品	定
		51.2 9	均	
		53.6 4		
			52.	
试验仪器	纳		技术	
自动仪器		度 法	仪器	
比对结果			可见分 光光度计	
			氨氮在线监测仪	
			合	

报告结束

编制
日期 20

审核
日期 2022