broas 博瑞思

正本

CMA

152512050049

检 测 报 告

TEST REPORT

报告编号 Report No：YNZKBG2024032900046-3

项目名称 Name：华新水泥（昭通）有限公司2024年第一季度自行监测

委托单位 Client：华新水泥（昭通）有限公司

受检地址 Address：昭通市昭阳区北闸镇塘房村

样品类别 Type：水和废水

编　　制：
Compiled by：

校　　核：
Proofread check：

审　　核：
Inspected by：

签　　发：
Approved by：

签发日期：2024年04月20日

broas 博瑞思

声　　明
Introduction

1.报告无"CMA 资质认定章"和检测单位"检测专用章"及"骑缝章"无效。

This report no seal on the perforation and CMA qualification certification seal and special seal for testing is invalid.

2.报告无编制人、审核人、签发人签名无效，报告经涂改无效。

This report without prepare people signature, audit staff signature, approver signature is invalid., The report by alter is invalid.

3.报告未经本机构批准，不得复制（全文复制除外）本报告或证书。

This report or certificate can't be copied (except in full) without the approval of the agency.

4.对委托人送检的样品进行检测的，检测报告的首次结果仅对送检样品负责，送样检测样品代表性由委托人确定，委托方特别申明并支付样品管理费的，超过样品保留期限的样品不负责。

With the sample submitted by the client tested, the test report shall be responsible for the conformity of the items tested by the sample, and the client shall be responsible for the representativeness and authenticity of the sample submitted. Unless the entrusting party makes a special statement and pays the sample management fee, the timeliness of all samples exceeding the requirements of standards or technical specifications will not be retained.

5.委托方应对提供的检测相关信息的完整性、真实性、准确性负责。本公司实施的所有检测行为以及提供的相关报告以委托方提供的信息为前提，当委托方提供的信息可能影响结果的有效性时，本公司不承担由此引起的任何责任。

The entrusting party shall be responsible for the completeness, authenticity and accuracy of the testing related information provided. All testing behaviors and related reports provided by our company are based on the information provided by the entrusting party. When the information provided by the entrusting party may affect the effectiveness of the results, our company will not [illegible] the information.

If the client has any objection to the test report, please apply to the company within 15 days from the date of receiving the report. If the client fails to apply within the time limit, it shall be

监测期间	监测期间运行情况	运行负荷
生产能力		
304 吨/天	正常	89.7%

2.检

| 样品类 | | |

NO.1


析人员	检出限/最低检测质量浓度
富坤 盛永	——
道娜	0.025mg/L
正兰	0.09μg/L 0.05μg/L
真倩	0.05mg/L
郝果	0.04μg/L
红玲	——
兴丽	8mg/L

生产工单编号	检测类别	检测项目	检测方法	检测和分析设备	仪器编号	分析人员	检出限/最低检测质量浓度
YNZKSC202402190007	水和废水	氨氮	水质 氨氮的测定 纳氏试剂分光光度法 HJ 535-2009	可见分光光度计	CD-50-0005	李兴丽	10mg/L
		亚硝酸盐氮	水质 亚硝酸盐氮的测定 分光光度法 GB 7493-1987	紫外可见分光光度计	YNZK-FX-0217	锁真儒	0.003mg/L
		硝酸盐氮	水质 硝酸盐氮的测定 紫外分光光度法 GB 7480-1987	紫外可见分光光度计	YNZK-FX-0217	邱璐丹	0.02mg/L
		总大肠菌群	生活饮用水标准检验方法 第 12 部分：微生物指标 GB/T 5750.12-2023 (5.1)	HNY-080BS 电热恒温培养箱	YNZK-FX-0059	康道娜	——
		菌落总数	生活饮用水标准检验方法 第 12 部分：微生物指标 GB/T 5750.12-2023 (4.1)	HNY-080BS 电热恒温培养箱	YNZK-FX-0059	康道娜	——

检测结果表

NO.1

| 点位 | | |









broas博瑞思